

Curran70

Pos	Specification-Spezifikation-Specificatie	St.	Profile (mm)	Length (mm)
001		2	70x68	445
002		2	70x68	445
003		30	70x135	445
004		30	70x135	445
005		1	70x135	4300
009		1	70x68	4300
010		16	70x135	4300
011		22	70x135	4300
012		1	70x135	4599
013		2	70x135	4899
014		1	70x135	5300
015		13	70x135	1475
016		1	70x135	1774
017		1	70x135	5300
W1-1		1		
W2-1		1		
PR2		1	70x144	5300
PR1		2	70x144	5300
DP-1	Roof board-Dachbrett-Dakplank 	94+2	114x28	2345
L-1	Eave Slat-Traufenleiste-Afdeklijst	2	40x18	5300
L-2	Facia Board-Giebelblende-Gevelplank 	188	18x120	2425
L-3	Facia Slat-Giebelleiste-Gevellijst	188	40x18	2385
TR21	Threaded rod Set-Gewindestange Satz-Draadstang Set2	4	M10	2320
D1	Diamond	2		

Kood	Curran70	Materjal	File	Curran70.dwg	Leht	1/1



H = 1.500 m
TOTAL: 15.68 m2

Model	Curran70	Page	PLAN
Client		Scale	1:20
Material	70x135	Date	08.06.2022
Company		File	Curran70.dwg



Model	Curran70	Page	4
Client		Scale	1:20
Material	7x13.5	Date	08.06.2022
Company		File	Curran70.dwg



Model	Curran70	Page	5
Client		Scale	1:20
Material	7x13.5	Date	08.06.2022
Company		File	Curran70.dwg



Model	Curran70	Page	2
Client		Scale	1:20
Material	7x13.5	Date	08.06.2022
Company		File	Curran70.dwg



Model	Curran70	Page	3
Client		Scale	1:20
Material	7x13.5	Date	08.06.2022
Company		File	Curran70.dwg





Model	Curran70	Page	ROOF
Client		Scale	1:20
Material	70x135	Date	08.06.2022
Company		File	Curran70.dwg















ADJUSTABLE HINGES





3.



1.





TYPE- B
4x60





2.

OPTIONS



OPTIONS





4.

FR

The guide is illustrative. This guide is not project specification.
Der Leitfaden ist illustrativ. Dieser Leitfaden ist keine Projektspezifikation.
De gids is illustratief. Deze gids is geen projectspecificatie.


4.
DSR


Ø4mm
Ø4mm
4.
GR


NB!
4.
HR


4.
SR

OPTIONS


SB1


SBT1- TOP
40mm


SBT1- BOTTOM
105mm


H-PROFILE
U-PROFILE
x
4-5